

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

---

### SECTION 1. IDENTIFICATION

Product name : MOLYKOTE® SK-623 Grease  
Product code : 02638002

#### Manufacturer or supplier's details

Company Identification : DDP SPECIALTY ELECTRONIC MATERIALS  
US 9, LLC  
974 Centre Road  
Wilmington DE 19805  
UNITED STATES

Telephone : 833-338-7668

24-Hour Emergency Contact : 1-800-424-9300

Local Emergency Number : 800-424-9300

E-mail address : SDSQuestion-NA@dupont.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricants and lubricant additives


---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Specific target organ : Category 2 (Kidney)  
systemic toxicity - repeated  
exposure (Oral)

#### GHS label elements

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**  
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.  
**Response:**  
P314 Get medical advice/ attention if you feel unwell.  
**Disposal:**

---

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : Organic grease

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Dec-1-ene, homopolymer, hydrogenated	68037-01-4	>= 24 - <= 26
12-Hydroxy lithium stearate	7620-77-1	>= 4 - <= 5
Melamine cyanurate	37640-57-6	>= 2.4 - <= 2.5

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May cause damage to organs through prolonged or repeated exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.

Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

---

- Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Metal oxides  
Fluorine compounds  
Nitrogen oxides (NO<sub>x</sub>)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

### SECTION 7. HANDLING AND STORAGE

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
12-Hydroxy lithium stearate	7620-77-1	TWA	10 mg/m <sup>3</sup>	ACGIH

#### Hazardous components without workplace control parameters

Ingredients	CAS-No.
Dec-1-ene, homopolymer, hydrogenated	68037-01-4
Melamine cyanurate	37640-57-6

- Engineering measures** : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m<sup>3</sup> - total dust, 5 mg/m<sup>3</sup> - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m<sup>3</sup> - respirable particles, 10 mg/m<sup>3</sup> - inhalable particles.

#### Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2017
7.0	10/18/2018	978065-00010	Date of first issue: 12/19/2014

---

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

### Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Skin should be washed after contact.

Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Grease

Color : white

Odor : none

Odor Threshold : No data available

pH : Not applicable

Melting point/freezing point : No data available

Initial boiling point and boiling range : Not applicable

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

---

Flash point : > 100 °C  
Method: Seta closed cup

Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard

Self-ignition : The substance or mixture is not classified as pyrophoric. The substance or mixture is not classified as self heating.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : Not applicable

Relative vapor density : No data available

Relative density : 0.85

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

---

Incompatible materials      :    Oxidizing agents

Hazardous decomposition products      :    No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity      :    Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Ingredients:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Acute oral toxicity      :    LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity      :    LC50 (Rat): > 5.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity      :    LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

##### **12-Hydroxy lithium stearate:**

Acute oral toxicity      :    LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

##### **Melamine cyanurate:**

Acute oral toxicity      :    LD50 (Rat): 2,500 mg/kg

Acute dermal toxicity      :    LD50 (Rat): 5,520 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Ingredients:

##### **Dec-1-ene, homopolymer, hydrogenated:**

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

---

Species: Rabbit  
Result: No skin irritation

### **12-Hydroxy lithium stearate:**

Species: Rabbit  
Result: No skin irritation  
Remarks: Based on data from similar materials

### **Melamine cyanurate:**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Ingredients:**

#### **Dec-1-ene, homopolymer, hydrogenated:**

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405

#### **12-Hydroxy lithium stearate:**

Species: Rabbit  
Result: No eye irritation  
Remarks: Based on data from similar materials

#### **Melamine cyanurate:**

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### **Ingredients:**

#### **Dec-1-ene, homopolymer, hydrogenated:**

Test Type: Maximization Test  
Routes of exposure: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: negative



# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

---

### 12-Hydroxy lithium stearate:

Test Type: Local lymph node assay (LLNA)  
Routes of exposure: Skin contact  
Species: Mouse  
Method: OECD Test Guideline 429  
Result: negative

### Melamine cyanurate:

Test Type: Maximization Test  
Routes of exposure: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: negative

### Germ cell mutagenicity

Not classified based on available information.

### Ingredients:

#### Dec-1-ene, homopolymer, hydrogenated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

#### Melamine cyanurate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative  
Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

### Ingredients:

#### Melamine cyanurate:

Species: Mouse  
Application Route: Ingestion  
Exposure time: 103 weeks  
Result: negative  
Remarks: Based on data from similar materials

### IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

---

**OSHA**      No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**      No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

#### Ingredients:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

##### **Melamine cyanurate:**

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Kidney) through prolonged or repeated exposure if swallowed.

#### Ingredients:

##### **12-Hydroxy lithium stearate:**

Routes of exposure: Ingestion  
Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

##### **Melamine cyanurate:**

Routes of exposure: Ingestion  
Target Organs: Kidney  
Assessment: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

### Repeated dose toxicity

#### Ingredients:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Species: Rat  
NOAEL: 4,159.4 mg/kg

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

---

Application Route: Ingestion  
Exposure time: 91 Days

### 12-Hydroxy lithium stearate:

Species: Rat  
NOAEL: > 88 mg/kg  
Application Route: Ingestion  
Exposure time: 90 Days

### Melamine cyanurate:

Species: Rat  
NOAEL: 20 mg/kg  
Application Route: Ingestion  
Exposure time: 7 Days

### Aspiration toxicity

Not classified based on available information.

### Ingredients:

#### Dec-1-ene, homopolymer, hydrogenated:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Ingredients:

#### Dec-1-ene, homopolymer, hydrogenated:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202

Toxicity to algae : EL50 (Scenedesmus capricornutum (fresh water algae)): > 1,000 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

NOELR (Scenedesmus capricornutum (fresh water algae)): 1,000 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 125 mg/l  
Exposure time: 21 d  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: 2 mg/l  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### **12-Hydroxy lithium stearate:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae : NOELR (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **Melamine cyanurate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 325 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,500 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### **Persistence and degradability**

#### **Ingredients:**

#### **Dec-1-ene, homopolymer, hydrogenated:**

Biodegradability : Result: Not readily biodegradable.

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

---

Biodegradation: 2 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### 12-Hydroxy lithium stearate:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 78 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### Melamine cyanurate:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Ingredients:

### Dec-1-ene, homopolymer, hydrogenated:

Partition coefficient: n-octanol/water : log Pow: > 6.5

### Melamine cyanurate:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): < 3.8  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: -2.28

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Resource Conservation and Recovery Act (RCRA) : This product has been evaluated for RCRA characteristics and does not meet the criteria of hazardous waste if discarded in its purchased form.

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version 7.0      Revision Date: 10/18/2018      SDS Number: 978065-00010      Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

If not otherwise specified: Dispose of as unused product.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

##### Domestic regulation

##### 49 CFR

Not regulated as a dangerous good

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know

##### CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Xylene	1330-20-7	100	*
Phenol	108-95-2	1000	*
Ethylbenzene	100-41-4	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Phenol	108-95-2	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

##### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### US State Regulations

##### Pennsylvania Right To Know

Ethylene propylene copolymer

9010-79-1

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2017
7.0	10/18/2018	978065-00010	Date of first issue: 12/19/2014

---

Dec-1-ene, homopolymer, hydrogenated	68037-01-4
12-Hydroxy lithium stearate	7620-77-1
Polytetrafluoroethylene	9002-84-0
Melamine	108-78-1

### California Prop. 65

WARNING: This product can expose you to chemicals including Ethylbenzene, Formaldehyde, which is/are known to the State of California to cause cancer, and Toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The ingredients of this product are reported in the following inventories:

- REACH : For purchases from Dow Chemical EU legal entities, all ingredients are currently pre/registered or exempt under REACH. Please refer to section 1 for recommended uses. For purchases from non-EU Dow Chemical legal entities with the intention to export into EEA please contact your DC representative/local office.
- TSCA : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
- AICS : All ingredients listed or exempt.
- IECSC : All ingredients listed or exempt.
- KECI : All ingredients listed, exempt or notified.
- DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).
- ENCS/ISHL : All components are listed on ENCS/ISHL or exempted from inventory listing.

# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version  
7.0

Revision Date:  
10/18/2018


SDS Number:  
978065-00010

Date of last issue: 03/28/2017  
Date of first issue: 12/19/2014

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA:



##### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amend-



# SAFETY DATA SHEET

## MOLYKOTE® SK-623 Grease



Version	Revision Date:	SDS Number:	Date of last issue: 03/28/2017
7.0	10/18/2018	978065-00010	Date of first issue: 12/19/2014

---

ments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/18/2018

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8